

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

April 25, 2017

Leesha N. Square Regulatory Specialist Arch Chemicals, Inc. 1200 Bluegrass Lakes Parkway Alpharetta GA, 06484

Subject: Notification per PRN 98-10 – To revise "tape joint compound" heading to reflect

"construction materials" add "concrete admixture" under the direction for use, update company address, county origin, net weight and EPA establishment statement, Remove "California restriction" under the direction for use

Product Name: PROXEL® BD20 EPA Registration Number: 1258-1260 Application Date: March 7, 2017

Decision Number: 527395

## Dear Ms. Square:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Zebora Johnson at (703) 308-7080 or via email at johnson.zebora@epa.gov.

Page 2 of 2 EPA Reg. No. 1258-1260 Decision No. 527395

Sincerely,

John Hebert, Chief Regulatory Management Branch I Antimicrobials Division (7510P)

# PROXEL® BD20

**Industrial Microbiostat** 

FOR INDUSTRIAL USE ONLY AS A MICROBIOSTAT PRESERVATIVE FOR AQUEOUS COMPOSITIONS SUCH AS LATICES, EMULSION PAINTS AND STAINS, OIL-IN-WATER EMULSIONS, PAINTS, WATER-BASED ADHESIVES, PAPER COATING COMPOSITIONS, CASEIN/ROSIN DISPERSIONS, TEXTILE SPIN-FINISH SOLUTIONS, PESTICIDE FORMULATIONS, AQUEOUS SLURRIES, TITANIUM DIOXIDE SLURRIES, TAPE JOINT COMPOUNDS, CONSTRUCTION MATERIALS, LEATHER PROCESSING SOLUTIONS, AND FOR THE PRESERVATION OF FRESH ANIMAL HIDES AND SKINS.

### **ACTIVE INGREDIENT:**

1,2-benzisothiazolin-3-one	19.3%
Inert Ingredients	80.7%
Total 1	00.0%

<sup>1</sup>Not Approved for used in California

## KEEP OUT OF REACH OF CHILDREN

# **DANGER / PELIGRO**

SEE FIRST AID & ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

#### MANUFACTURED FOR:

Arch Chemicals, Inc. 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004

Made in China, [formulated in the UK] [Made in [Enter country of origin].]

PROXEL® is a registered trademark of Arch UK Biocides, Ltd.

Net Weight: XX Lbs. [Enter Net Weight]

EPA Reg. No. 1258-1260

EPA Est. No. 1258-NY-3 [Enter EPA Establishment Number]

NOTIFICATION

1258-1260

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

04/25/2017

#### PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

**DANGER:** Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Avoid contact with skin or clothing. Harmful if swallowed. Harmful if absorbed through the skin. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes or clothing. Do not breathe vapor or mist. Wear protective eyewear (goggles or face shield), and a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter, long-sleeved shirt and long pants, shoes and socks, and chemical resistant gloves made of any waterproof material.

#### **USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

#### **USER SAFETY RECOMMENDATIONS**

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### FIRST AID:

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to- mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency, for additional information call 1-800-654-6911.

Proxel BD20 Industrial Microbiostat EPA Reg. No: 1258-1260

EPA Draft Label: 3-7-2017

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Do not mix with oxidizing or reducing agents.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Protect from frost. If frozen, allow to thaw and stir well before use.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For containers > 5 gallons] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[For containers < 5 gallons] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

EPA Draft Label: 3-7-2017

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is an effective preservative in most aqueous compositions. Typical applications, and the suggested range of concentrations on which trials can be based are:

**LATICES:** Natural and synthetic latices based on acrylate, butadiene, PVA, styrene and other monomers, for use in various applications, e.g., wax, paint, floor polishes, synthetic rubber latices, add 0.05 - 0.15 % of this product (based on total weight of product).

EMULSION PAINTS AND STAINS: for in-can preservation, add 0.05 - 0.25% of this product (based on total weight of product).

**OIL-IN-WATER EMULSIONS:** "Spin finish" solutions for use in the textile industry. Cutting/rolling oils. Soluble oils (metal and engineering industries), add 0.05 - 0.18% of this product (based on total weight of product).

ADHESIVES: Carboxymethylcellulose (CMC) and derivatives, animal glues, adhesives based on gelatins and latex, add 0.05 - 0.25% of this product (based on total weight of product).

PAPER COATING COMPOSITIONS: Rosin dispersions. Starch and casein based products, add 0.05 - 0.15% of this product (based on total weight of product).

PESTICIDE FORMULATIONS: For product preservation. For ultimate use-dilution protection. This product is exempt from tolerance under 40CFR180.920, materials exempted from the requirements of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only. Based on the current 180.920 limit of 0.1% BIT in formulations, use levels of up to 0.5% (5000 ppm) of this product are allowed, add 0.1 - 0.5% of this product (based on total weight of product).

IN-CAN PRESERVATION OF SEED COATING MATERIALS (INCLUDES BUT NOT LIMITED TO COLORANTS, DYES, SEED COATINGS, AND PESTICIDE FORMULATIONS, ETC.): add 0.1 - 0.5% of this product (based on total weight of product).

INKS: Add 0.15 - 0.25% of this product (based on total weight of product).

AQUEOUS MINERAL SLURRIES: Add 0.04 - 0. 25% of this product (based on total weight of product).

TAPE JOINT COMPOUNDS: Add 0.1 - 0.25% of this product (based on total weight of product).

CONSTRUCTION MATERIALS: Tape joint compounds, concrete admixtures, add 0.1-0.25% of this product (based on total weight of product).

SPECIALTY PRODUCTS AND HOUSEHOLD PRODUCTS: Home cleaning products, floor cleaners, floor waxes and polishes, surface cleaners, window cleaners, dish detergents, add 0.05 - 0.15% of this product (based on total weight of product).

<sup>1</sup>LAUNDRY ADDITIVES: Liquid laundry detergents, fabric softeners, stain removers, add 0.05 - 0.15% of this product (based on total weight of product).

CAR CARE PRODUCTS: Car washing products, car waxes, silicone emulsions, add 0.05 - 0.15% of this product (based on total weight of product).

**Proxel BD20 Industrial Microbiostat** EPA Reg. No: 1258-1260

**PRESERVATION OF FRESH ANIMAL HIDES AND SKINS**: To preserve the integrity of fresh animal hides and skins prior to or during processing, use 13 fluid ounces to 2.5 gallons (1.0–24 lbs) of this product per 1000 pounds of hides or skins. Add the appropriate quantity of this product to the brine solution during the curing operation or treat hides or skins with an appropriately diluted aqueous solution during other portions of the processing operation. The specific use rate and contact time needed to control microbial attack will depend upon the degree of decomposition of the hides or skins prior to treatment.

**LEATHER PROCESSING SOLUTIONS:** Use this product at levels of 0.05 – 0.25% for the preservation of leather processing solutions.

**GENERAL RECOMMENDATIONS:** The concentration required to give protection depends on several factors. These include susceptibility of the system to microbiological degradation, the extent to which microorganism can gain access, the species involved, pH, temperature, and length of time for which protection is required.

For protection against bacterial attack, a concentration within the range of 0.02 - 0.35% of this product is almost invariably sufficient. The control of mold growth, particularly on paste products of high solids content, may occasionally demand dosages above 0.25%. In dilute fluid systems, spoilage is usually controlled with dosages not greater than 0.09%.

Page 5 of 5

<sup>1</sup>Not Approved for use in California

Proxel BD20 Industrial Microbiostat EPA Reg. No: 1258-1260

EPA Draft Label: 3-7-2017